








SUSPENDED PLATFORM HOIST

Jaypee's most advanced suspended platform hoist are unique systems for safe working at great heights. They reduce your investment on more expensive scaffolding systems and help complete finishing work with efficiency.


Features

- Anti-tilting Safety lock for rope breakage.
- · Electrical control system.
- High quality steel wire rope.
- · Optional overload sensor.
- 3-8 degree cable locking angle.
- · Advanced suspension mechanism.





Safety Lock		
Model	JSL30 II	
Configuration	Anti-Tilting Type	
Allowable Load	>800kgs	
Cable Locking Distance	<100m	
Cable Locking Angle	3~8	



Model	JSP800	JSP1000
Rated Capacity	800KGS	1000KGS
Safe Capacity	650KGS	800KGS
Rated Speed (m/min)	9.6	8.3
Rated power (kW)	1.5X2	2.2X2
Hoist Model	JTD6.5	JTD8
Safety Lock	JSL30 II	JSL30 II
Platform Dimensions (LXWXH)	6000X690X1460	7500X690X1460
Weight of Suspension Mechanism	425	425
Counter-weight	800kgs	1000kgs







Applications:

- Decoration and construction for the external wall of high rise buildings, installing curtain wall and exterior components
- Repairing, checking, maintenance and cleaning for the external wall of the high-rise buildings
- Installing billboard and signage on high rise buildings
- Construction, repairing and maintenance for large-scale projects such as large tank, chimney, dams, bridges, derrick
- Welding, cleaning and painting for large ships











Jaypee India Limited

Trinity, 5th Floor 226/ 1 A.J.C. Bose Road Kolkata – 700 020

T: +91 33 2289 0496/7/8 F: +91 33 2289 0859

E : solutions@jaypee.in W : www.jaypee.in